

Crompton



Perfect Hot Water For Perfect Hygiene

**Heating Solutions Catalogue
2022-23**

Crompton



Over the years, Crompton has spread its wings across markets and consumer products like fans, light sources, luminaries, pumps and households appliances such as geysers, mixer grinders, toasters, irons, etc.

Its state of the art manufacturing units are located in Goa, Vadodara, Ahmednagar and Baddi. With 1,50,000 plus retail points, Crompton aims to establish a positive connect across India through its superior product range.

Experts at its R & D center innovate continuously to enhance convenience by delivering functional product range with stringent quality processes and certification of BEE and ISI.

We have a service network of 365+ touch points to give seamless service throughout the country.



WHY CHOOSE CROMPTON WATER HEATER?

Crompton Care series is recommended by safe health - A global health organisation, which practices & promotes healthy, natural, clean, high quality products.

Perfect Hot Water
for Perfect Care of
your Loved Ones



BABY CARE



HAIR CARE



HYGIENE CARE



1ST TIME IN INDUSTRY CERTIFIED BY
PANEL OF EXPERT DOCTORS.




STORAGE WATER HEATER

POWERFUL HEATING ELEMENT

Comes with a 1200 gm superior heating element that provides faster heating to give you perfect hot water in 10 mins.

SUPERIOR GLASSLINE TANK COATING

Excellent corrosion resistance ensured by superior glassline coating that ensures durability and longevity of the tank.



SMART SHIELD CORROSION PROTECTION

Crompton's water heaters come with a specially designed sacrificial magnesium anode rod that is designed to protect the inner tank from corrosive elements thus enhancing life of the product.



SUITABLE FOR HIGH-RISE BUILDINGS

High pressure rating and the use of multi-function valve in our models makes our water heaters withstand up to 10 bar pressure, and makes them suitable for high-rise buildings.



5 - STAR RATED ENERGY EFFICIENT

Crompton's 5 Star rated energy efficient water heaters help in reducing your electricity bill substantially.



SMART ENERGY MANAGEMENT

Smart design with Standby cut off that consumes less electricity.



ADVANCED 3 - LEVEL SAFETY

Crompton Water Heaters have advanced 3-level safety that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction.



TRIPLE SHIELD PROTECTION

The glass line coated tank, Magnesium Anode, and blue glass lined incoloy element protects the water heater from corrosion oxidation and scaling, thereby giving a longer life.

Crompton

STORAGE WATER HEATERS



SOLARIUM QUBE IOT

Available in 15L, 25L



Remotely controlled
by Mobile App



Smart
scheduler



Digital temperature
Display



Smart Energy
Management



Bathing modes
For ease of use



Powerful heating
Element



Pre-set timer



Smart shield
Corrosion protection



Auto standby
mode



Smart color-changing
LED indicator



Superior
safety system



Nano polybond
Technology



Energy saving
In-Situ PUF



Rust &
Shockproof body

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Scan the QR code to download MyCROMPTON app
Works on Android as well as IOS




FREE
INSTALLATION
& PIPES


SMART HOME INTEGRATION





SOLARIUM CARE


Available in 6L, 10L, 15L, 25L


- 

Customised Bath Modes
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Superior glassline coating

WARRANTY
7yrs Tank | **3yrs** Element | **2yrs** Product



recommended by
PANEL OF EXPERT DOCTORS

CUSTOMISED BATHING MODES



Unique temperature setting that prevents accidental hot water scalds or burns in babies and is ideal for their skin.



Unique temperature setting that is best for massaging the scalp with shampoo to get the excess dirt and oil off your hair and thus ensuring a relaxing bath for your hair.



Unique temperature setting that kills bacteria and viruses inside the water and delivers germ free water for your loved ones.

SOLARIUM NEO

Available in 10L, 15L, 25L

- 

Superior glassline coating
- 

Powerful incoloy heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY
7yrs Tank | **3yrs** Element | **2yrs** Product



- 

Rust proof plastic body
- 


10 Bar pressure
- 


Smart Energy management

SOLARIUM EVO


Available in 10L, 15L, 25L


- 

Superior glassline coating
- 

Powerful heating element
- 

Smart shield corrosion protection
- 


Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY
7yrs Tank | **2yrs** Element | **2yrs** Product



- 


Rust proof plastic body
- 


8 Bar pressure
- 


Smart Energy management


SOLARIUM QUBE


Available in 10L, 15L, 25L


- 

Nano poly bond technology
- 

Powerful heating element
- 

Color-Changing LED Indicator
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Smart shield corrosion protection

WARRANTY

7yrs Tank

2yrs Element

2yrs Product



- 

Rust proof plastic body
- 


8 Bar pressure
- 


Smart Energy management


AMICA PLUS

Available in 10L, 15L, 25L


- 

Superior glassline coating
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY

7yrs Tank

3yrs Element

2yrs Product



- 


Powder coated rust proof body
- 

8 Bar pressure
- 


Smart Energy management


RAPIDJET PLUS


Available in 6L


- 

Nano poly bond technology
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob


WARRANTY


5yrs Tank


2yrs Element

2yrs Product



- 

Rust proof plastic body
- 

8 Bar pressure
- 

Smart Energy management


AMICA


Available in 10L, 15L, 25L


- 

Nano poly bond technology
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob


WARRANTY


7yrs Tank


2yrs Element

2yrs Product



- 

Powder coated rust proof body
- 

8 Bar pressure
- 

Smart Energy management

VERSA

Available in 10L, 15L, 25L

- 

Superior glassline coating
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY

5yrs Tank	2yrs Element	2yrs Product
-----------	--------------	--------------



- 


Rust proof plastic body
- 


8 Bar pressure
- 


Smart Energy management


ARNO NEO


Available in 6L, 10L, 15L, 25L


- 

Nano poly bond technology
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY

5yrs Tank	2yrs Element	2yrs Product
-----------	--------------	--------------



- 


Powder coated rust proof body
- 


8 Bar pressure
- 


Smart Energy management


ARNO SUPREMUS


Available in 6L, 10L, 15L, 25L


- 

Superior glassline coating
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Energy saving Insitu PUF
- 

Temperature control knob

WARRANTY

7yrs Tank	2yrs Element	2yrs Product
-----------	--------------	--------------



- 

Powder coated rust proof body
- 

8 Bar pressure
- 

Smart Energy management

CLASSIC

Available in 6L, 10L, 15L, 25L

- 

Nano poly bond technology
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 


Energy saving Insitu PUF
- 


LED indicator for ease of use

WARRANTY

5yrs Tank	2yrs Element	2yrs Product
-----------	--------------	--------------




- 


Powder coated rust proof body
- 


8 Bar pressure


RADIANT DLX


Available in 35L, 50L


- 

Superior glassline coating
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Hi-Precision thermal stem cut-out
- 

Temperature Control Knob

WARRANTY
5yrs Tank | **2yrs** Element | **2yrs** Product



- 

Rust proof plastic body
- 


8 Bar pressure
- 


Smart Energy management





CLASSIC HORIZONTAL


Available in 10L, 15L


- 

Nano poly bond technology
- 

Smart Shield Corrosion Protection
- 

8 Bar Pressure
- 


Smart energy management
- 


Energy Saving Insitu PUF
- 

LED Indicator For Ease Of Use

WARRANTY
5yrs Tank | **2yrs** Element | **2yrs** Product



- 

Sleek and compact design
- 

Powder coated rust-proof metal body
- 

Advanced 3 level safety



ARNO NEO

Available in 35L, 50L

- 

Nano poly bond technology
- 

Powerful heating element
- 

Smart shield corrosion protection
- 

Advanced 3 level safety
- 

Temperature dial indicator
- 

Temperature Control Knob

WARRANTY
7yrs Tank | **2yrs** Element | **2yrs** Product



- 

Powder coated rust proof body
- 


8 Bar pressure
- 


Smart Energy management




VERSA HORIZONTAL


Available in 10L, 15L, 25L


- 

Smart Shield Corrosion Protection
- 

Superior glassline coating
- 

8 Bar Pressure
- 

Smart energy management
- 

Energy Saving Insitu PUF
- 

Temperature Control Knob

WARRANTY
7yrs Tank | **3yrs** Element | **2yrs** Product




- 

Sleek and compact design
- 

Rust proof plastic body
- 

Advanced 3 Level Safety



Crompton



INSTANT WATER HEATERS



SOLARIUM VOGUE

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



Color Changing LED Indicator



Advanced 4 level safety



Rust & shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

RAPIDJET PLUS

Available in 1L-3KW & 4.5KW , 3L- 3KW & 4.5 KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design



GRACEE

Available in 3L-3KW

- 

High grade SS tank for long life
- 

Powerful heating element
- 

LED indicator for ease of use
- 

Advanced 4 level safety
- 

Rust and shock proof body
- 

Anti Siphon Protection

WARRANTY

5yrs	2yrs	2yrs
Tank	Element	Product

- 

ISI marked for added safety
- 

6.5 Bar pressure
- 

Elegant & stylish design



RAPID JET

Available in 1L-3KW & 4.5KW , 3L- 3KW & 4.5 KW

- 

High grade SS tank for long life
- 

Powerful heating element
- 

LED indicator for ease of use
- 

Advanced 4 level safety
- 

Rust and shock proof body
- 

Anti Siphon Protection

WARRANTY

5yrs	2yrs	2yrs
Tank	Element	Product

- 

ISI marked for added safety
- 


6.5 Bar pressure



SOLARIUM NEO


Available in 3L-3KW

- 

High grade SS tank for long life
- 

Powerful heating element
- 

LED indicator for ease of use
- 

Advanced 4 level safety
- 

Rust and shock proof body
- 

Anti Siphon Protection

WARRANTY

5yrs	2yrs	2yrs
Tank	Element	Product

- 

ISI marked for added safety
- 

6.5 Bar pressure



INSTANT WATER HEATER RANGE

















HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters


What should be the capacity of the water heater?

The capacity of the water heater depends on the kind of usage:

<div>Instant Water Heater</div> <div></div> <div>Bathing – bucket</div> <div> Pleasant weather</div> <div>3 Members</div> <div>1-3L</div> <div>Suggested Capacity</div>	<div>Instant Water Heater</div> <div></div> <div>Washing utensils</div> <div> Cold weather</div> <div>6 Members</div> <div>1-3L</div> <div>Suggested Capacity</div>	<div>Storage Water Heater</div> <div></div> <div>Bathing – Shower</div> <div> Pleasant weather</div> <div>4 Members</div> <div>6L</div> <div>Suggested Capacity</div>	<div>Storage Water Heater</div> <div></div> <div>Bathing – bucket</div> <div> Cold weather</div> <div>3 Members</div> <div>10-15L</div> <div>Suggested Capacity</div>	<div>Storage Water Heater</div> <div></div> <div>Bathing – bucket</div> <div> Cold weather</div> <div>6 Members</div> <div>15L</div> <div>Suggested Capacity</div>	<div>Storage Water Heater</div> <div></div> <div>Bathing – bucket</div> <div> Pleasant weather</div> <div>6 Members</div> <div>6-10L</div> <div>Suggested Capacity</div>	<div>Storage Water Heater</div> <div></div> <div>Bathing – Shower</div> <div> Cold weather</div> <div>6 Members</div> <div>25L</div> <div>Suggested Capacity</div>
---	---	--	---	--	--	--



Crompton



GAS GEYSERS

AGWH 5000

Available in 4.6L

-  Over Heat Protection
-  20 Minutes Gas Flow Cut-Off Timer
-  Summer & winter burner selection
-  Automated Double ignition system
-  ISI Approved
-  Child Lock Safety
-  Flame Out Protection
-  PRV High water Pressure protection
-  Flue duct to avoiding smoke scaling, blockage and dry heating
-  Pure copper heat exchanger

WARRANTY

2yrs

Product



Extra Protection with
Double Solenoid Valve

85%

85% heating
efficiency

Crompton

IMMERSION ROD



IHL 201 & 251

Available in 1000W , 1500W



Shock proof plastic handle with IP68 protection



Heating element with longer life



Light-Weight



Powerful pure copper heating element



Water Level Indicator



ISI approved

WARRANTY

2yrs
Product



IHL 201



IHL 251



IHL (102/152/104/154) & IHL 302

Available in 1 KW & 1.5 KW, 2KW



Shock proof Bakelite handle



Neon Lamp Indicator



Light-Weight



Heating Element with Longer Life



Water Level Indicator



powerful pure copper heating element

WARRANTY

2yrs
Product



ISI approved



IHL 102/152
104/154

Available in 1 KW
& 1.5KW rating



IHL 302

Available in
2KW rating

Crompton

ROOM HEATERS



INSTA FERVOR

OIL- FILLED ROOM HEATERS

Available in 9F -2400W, 11F - 2900W & 13F - 2900W



No oxygen depletion



Ambient temperature for long time



Quick heating with 400W PTC heating element



Tilt over protection switch



Wave fins -large surface for fast heating



Over heat protection

WARRANTY
2yrs



INSTA AIROHOT

Heat convector - 2000W







-  Adjustable heat setting with two speed Fan
-  Over heat protection
-  Cool touch handle for easy mobility
-  Built in thermostat & thermal safety cut-Out
-  Height adjustable stand
-  ISI approved

WARRANTY
1yr



INSTA COMFORT

Heat convector - 2000W







-  Built in thermostat & thermal safety cut-out
-  Over heat protection
-  Vertical & horizontal mounting
-  Blower fan for heat spreading
-  Cool touch plastic body
-  ISI approved

WARRANTY
1yr




INSTA DELIGHT

Heat convector -2000W

-  Three heat settings (665W, 1330W, 2000W)
-  Turbo fan design
-  Handle for easy movement
-  Over heat protection
-  Height adjustment stand
-  ISI approved

WARRANTY
1yr




INSTA COZY

Halogen room heater 1200W

-  Three 242 mm extra long halogen tubes for quick heating
-  Automated switch off in case of fall
-  Rust free reflector
-  Shock proof body
-  90° swing for uniform spread of heat
-  ISI approved

WARRANTY
1yr



INSTA COMFY

Quartz room heater - 800W

- Two sets heating element (Quartz tube)
- Shock proof body
- Rust free reflector
- Handle for easy movement
- Automated switch off in case of fall
- ISI approved

WARRANTY
1yr



INSTA RED

RADIANT ROOM HEATER


Ideal for small and medium room.

- 1000W heating element
- Powder coated metallic body
- Rust free reflector
- Energy efficient
- Quick warming
- ISI approved

WARRANTY
1yr



DISCOVER WARMTH
ON A COLD WINTER!



WATER HEATER PRODUCT SPECIFICATION

Series		Storage									
Product		Classic	Arno Neo	Arno Neo	Arno Supremus	Versa	Amica	Amica Plus	Rapid Jet Plus	Solarium Evo	Solarium Qube
Advance Features											
Pressure Rating	Safety Valve	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR
TANK	MS_ Glassline Coating				✓	✓		✓		✓	
	MS_ Polymer Coating	✓	✓	✓			✓		✓		✓
	SS										
Heating Element	Incoloy + GL Coating										
	Copper + Ni Coating	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Thermostat (Auto)	Advance Microproceser										
	High precision Capillary		✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stem Mechanical	✓									
Temp Control Mode	Temp Adjustable Knob		✓	✓	✓	✓	✓	✓	✓	✓	✓
	Touch Sensor										
Thermal Cut_off	High precision Capillary										
	Stem Mechanical	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Mechanical - Disc										
Anode Rod	MgO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
	BEE /ISI	4 Star	5 Star	4 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star
Specifications											
Power (kW)		2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000W/3000W	2000 W	2000 W
Capacity (Liters)		6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	35L, 50L	6L, 10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	6L	10L, 15L, 25L	10L, 15L, 25L
Reheating Time (max)		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L									
Aesthetics											
Color		White	Grey	Grey	Ivory	White	White	White	White	Ivory	White
Body		Plastic+SheetMetal	Plastic+SheetMetal	Plastic+SheetMetal	Plastic+SheetMetal	Plastic	Plastic+SheetMetal	Plastic+SheetMetal	Plastic	Plastic	Plastic
Warranty											
Tank		5	5	7	7	5	7	7	5	7	7
Heating Element		2	2	2	2	2	2	3	2	2	2
Product		2	2	2	2	2	2	2	2	2	2
Dimensions (in mm)		280 x 280 x 335 - 06L 315 x 325 x 370 - 10L 315x 325 x 510 - 15L 340x 335 x 540 - 25L	275 x 290 x 330 - 06L 315 x 330 x 362 - 10L 315 x 325 x 450 - 15L 350 x 360 x 550 - 25L	400 x 415 x 585 - 35L 400 x 415 x 740 - 50L	275 x 290 x 330 - 06L 315 x 330 x 362 - 10L 315 x 325 x 450 - 15L 350 x 360 x 550 - 25L	335 x 360 x 380 -10L 335 x 335 x 495 - 15L 380 x 405 x 545 - 25L	300 x 325 x 455 - 10L 360 x 360 x 490 - 15L 350 x 370 x 595 - 25L	320 x 335 x 445 - 10L 365 x 380 x 464 - 15L 365 x 380 x 595 - 25L	335 X 275 X 310 - 06L 2KW 335 X 275 X 310 - 06L 3KW	390 X 390 X 280 -10L 390 X 390 X 350 - 15L 460 X 460 X 390 - 25L	355 x 340 x 355 - 10L 400 x 390 x 420 - 15L 415 x 415 x 420 - 25L
Net Weight (in Kgs)		5.2 Kgs - 06L 5.3 Kgs - 10L 7.7 Kgs - 15L 9.8 Kgs - 25L	5.2 Kgs - 06L 6.2 Kgs - 10L 7.8 Kgs - 15L 9.5 Kgs - 25L	11.6 Kgs - 35L 14.33 Kgs - 50L	5.2 Kgs - 06L 6.2 Kgs - 10L 7.8 Kgs - 15L 9.5 Kgs - 25L	6.65 Kgs - 10L 8.25 Kgs - 15L 10 Kgs - 25L	6.65 Kgs - 10L 8.25 Kgs - 15L 10 Kgs - 25L	7.7 Kgs - 10L 9.2 Kgs - 15L 11.3 Kgs - 25L	5.5 Kgs-06L 2KW 5.67 Kgs - 06L 3KW	7.6 Kgs- 10L 9.1 Kgs - 15L 12 Kgs - 25L	6.87 - 10L 8 Kgs - 15L 10 Kgs - 25L

WATER HEATER PRODUCT SPECIFICATION

Series		Storage				Horizontal		Instant						
Product		Solarium Care	Solarium Neo	Solarium Qube IoT	Radiant DLX		Classic HZ	Versa HZ		RapidJet	Solarium Neo	Gracee	RapidJet Plus	Solarium Vogue
Advance Features														
Pressure Rating	Safety Valve	8 BAR	10 Bar	8 BAR	8 BAR		8 BAR	8 BAR		6.5 BAR	6.5 BAR	6.5 BAR	6.5 BAR	6.5 BAR
TANK	MS_ Glassline Coating	√	√		√			√						
	MS_ Polymer Coating			√			√							
	SS									√	√	√	√	√
Heating Element	Incoloy + GL Coating		√											
	Copper + Ni Coating	√		√	√		√	√		√	√	√	√	√
Thermostat (Auto)	Advance Microproceser			√										
	High precision Capillary	√	√		√		√	√						
	Stem Mechanical									√	√	√	√	√
Temp Control Mode	Temp Adjustable Knob	√	√		√			√						
	Touch Sensor			√										
Thermal Cut_off	High precision Capillary		√											
	Stem Mechanical	√		√	√		√			√	√	√	√	√
	Mechanical - Disc							√						
Anode Rod	MgO	√	√	√	√		√	√						
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical		Horizontal	Horizontal		Vertical	Vertical	Vertical	Vertical	Vertical
	BEE /ISI	5 Star	5 Star	5 Star	5 Star		4 Star	4 Star		ISI	ISI	ISI	ISI	ISI
Specifications														
Power (kW)		2000 W	2000 W	2000 W	2000 W		2000 W	2000 W		3000 W/ 4500 W	3000 W	3000 W	3000 W/ 4500 W	3000 W
Capacity (Liters)		6L, 10L, 15L, 25L	10L, 15L, 25L	15L , 25L	35L , 50L		10L, 15L	10L, 15L, 25L		1L, 3L	3L	3L	1L, 3L	3L
Reheating Time (max)														
Aesthetics														
Color		White	Ivory	White	White		White	White		White	White	White	White	White
Body		Plastic	Plastic	Plastic	Plastic		Plastic+SheetMetal	Plastic		Plastic	Plastic	Plastic	Plastic	Plastic
Warranty														
Tank		7	7	7	5		5	7		5	5	5	5	5
Heating Element		3	3	2	2		2	3		2	2	2	2	2
Product		2	2	2	2		2	2		2	2	2	2	2
Dimensions (in mm)		325 x 290 x 380 - 6L 390 x 345 x 430 - 10L 390 x 415 x 430 - 15L 475 x 435 x 520 - 25L	290 X 310 X 460 - 10L 290 x 310 x 490 - 15L 370 x 380 x 610 - 25L	400 x 390 x 405 - 15L 465 x 390 x 495 - 25L	460 x 470 x 760 - 50L 465 x 390 x 495 - 25L		300 x 312 x 424 - 10L 315 x 325 x 485 - 15L	470 x 320 x 315 - 10L 600 x 320 x 315 - 15L 870 x 320 x 315 - 25L		202 x 196 x 347 -3L 170 x 165 x 320 - 1L	191 x 190 x 385	191 x 190 x 390	203 x 196 x 347 -3L 170 x 165 x 320 - 1L	190 x 190 x 385
Net Weight (in Kgs)		6.15 Kgs - 6L 8.20 Kgs - 10L 9.47 Kgs - 15L 12.34 Kgs - 25L	7.38 Kgs - 10L 9.28 Kgs - 15L 13.10 Kgs - 25L	8 Kgs - 15L 10 Kgs - 25L	13.94 Kgs - 35L 16.45 Kgs - 50L		7.18 Kgs - 10L 8.16 Kgs - 15L	8.4 Kgs - 10L 10.1 Kgs - 15L 13.61 Kgs - 25L		2.4 Kgs- 3L 2.1 Kgs - 1L	2.7 Kgs- 3L	2.9 Kgs- 3L	2.4 Kgs- 3L 2.1 Kgs - 1L	2.8 Kgs - 3L

Crompton

CUSTOMER SERVICE

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505**.



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within 24 to 48 Hours.



All india whatsapp helpline number **7428713830** with 24 hours open **chat bot** access.



Scan QR for registration of warranty, installation, and services on our website in seconds.

Easy & Interactive | Instant Complaint Registration | Seamless Experience

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla (W), Mumbai-400 070, India

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded as infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice. Free installation on select models of water heater and select locations only.